
table 22: interdistrict correlations - Hungary

the table presents the results of interdistrict correlations for permanent and deciduous dentition (each table represents the calculation of correlations for a given trait beyond a dental class)

the results of correlations between expressions of traits observed on contralateral teeth of the permanent and deciduous dentition

the existence of significant correlations between right and left expressions of the different traits is specified by the following symbols:

"*": indicates significant correlation at the 0.05 threshold

"**": indicates significant correlation at the 0.01 threshold

tables are structured as follows:

correlation coefficient: correlation coefficient between observation pairs

Sig. (2-tailed): significance threshold for a bilateral test

N: number of samples on which the calculation is based

variables for which measurement could not be made are not included here

Correlations

			T1M3	T1P2	T1I2
Kendall's tau_b	T1M3	Correlation Coefficient	1.000	.	.357*
		Sig. (2-tailed)	.	.	.010
		N	60	57	51
	T1P2	Correlation Coefficient	.	1.000	.
		Sig. (2-tailed)	.	.	.
		N	57	73	64
	T1I2	Correlation Coefficient	.357*	.	1.000
		Sig. (2-tailed)	.010	.	.
		N	51	64	67

*.Correlation is significant at the .05 level (2-tailed).

Correlations

			T14C	T14I2	T14I1
Kendall's tau_b	T14C	Correlation Coefficient	1.000	.	-.026
		Sig. (2-tailed)	.	.	.871
		N	66	50	39
	T14I2	Correlation Coefficient	.	1.000	.
		Sig. (2-tailed)	.	.	.
		N	50	54	38
	T14I1	Correlation Coefficient	-.026	.	1.000
		Sig. (2-tailed)	.871	.	.
		N	39	38	42

Correlations

			T15C	T15I2	T15I1
Kendall's tau_b	T15C	Correlation Coefficient	1.000	.112	.156
		Sig. (2-tailed)	.	.430	.366
		N	53	40	28
	T15I2	Correlation Coefficient	.112	1.000	.211
		Sig. (2-tailed)	.430	.	.196
		N	40	47	28
	T15I1	Correlation Coefficient	.156	.211	1.000
		Sig. (2-tailed)	.366	.196	.
		N	28	28	33

Correlations

			T16C	T16I2	T16I1
Kendall's tau_b	T16C	Correlation Coefficient	1.000	.349*	.143
		Sig. (2-tailed)	.	.016	.410
		N	60	39	29
	T16I2	Correlation Coefficient	.349*	1.000	.437*
		Sig. (2-tailed)	.016	.	.018
		N	39	40	25
	T16I1	Correlation Coefficient	.143	.437*	1.000
		Sig. (2-tailed)	.410	.018	.
		N	29	25	32

*.Correlation is significant at the .05 level (2-tailed).

Correlations

			T17P1	T17C	T17I2	T17I1
Kendall's tau_b	T17P1	Correlation Coefficient	1.000	.701**	.	-.027
		Sig. (2-tailed)	.	.000	.	.869
		N	67	62	49	38
	T17C	Correlation Coefficient	.701**	1.000	.	.
		Sig. (2-tailed)	.000	.	.	.
		N	62	66	49	39
	T17I2	Correlation Coefficient	.	.	1.000	.
		Sig. (2-tailed)
		N	49	49	53	38
	T17I1	Correlation Coefficient	-.027	.	.	1.000
		Sig. (2-tailed)	.869	.	.	.
		N	38	39	38	42

**.Correlation is significant at the .01 level (2-tailed).