

---

table 15: antimere correlations - Switzerland

---

the table presents the results of correlations between expressions of traits observed on contralateral teeth of the permanent and deciduous dentition

the existence of significant correlations between right and left expressions of the different traits is specified by the following symbols:

"\*": indicates significant correlation at the 0.05 threshold

"\*\*": indicates significant correlation at the 0.01 threshold

tables are structured as follows:

correlation coefficient: correlation coefficient between observation pairs

Sig. (2-tailed): significance threshold for a bilateral test

N: number of samples on which the calculation is based

variables for which measurement could not be made are not included here

Correlations

			t1m3d	t1m3g
Kendall's tau_b	t1m3d	Correlation Coefficient	1.000	.770**
		Sig. (2-tailed)	.	.000
		N	119	67
	t1m3g	Correlation Coefficient	.770**	1.000
		Sig. (2-tailed)	.000	.
		N	67	151

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t1i2d	t1i2g
Kendall's tau_b	t1i2d	Correlation Coefficient	1.000	.894**
		Sig. (2-tailed)	.	.000
		N	144	102
	t1i2g	Correlation Coefficient	.894**	1.000
		Sig. (2-tailed)	.000	.
		N	102	220

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t2m3d	t2m3g
Kendall's tau_b	t2m3d	Correlation Coefficient	1.000	.823**
		Sig. (2-tailed)	.	.000
		N	74	31
	t2m3g	Correlation Coefficient	.823**	1.000
		Sig. (2-tailed)	.000	.
		N	31	110

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t2m2d	t2m2g
Kendall's tau_b	t2m2d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.000
		N	130	78
	t2m2g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.000	.
		N	78	144

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t2m1d	t2m1g
Kendall's tau_b	t2m1d	Correlation Coefficient	1.000	.812**
		Sig. (2-tailed)	.	.000
		N	143	93
	t2m1g	Correlation Coefficient	.812**	1.000
		Sig. (2-tailed)	.000	.
		N	93	168

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t2pm2d	t2pm2g
Kendall's tau_b	t2pm2d	Correlation Coefficient	1.000	.837**
		Sig. (2-tailed)	.	.000
		N	122	80
	t2pm2g	Correlation Coefficient	.837**	1.000
		Sig. (2-tailed)	.000	.
		N	80	147

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t2pm1d	t2pm1g
Kendall's tau_b	t2pm1d	Correlation Coefficient	1.000	.901**
		Sig. (2-tailed)	.	.000
		N	126	89
	t2pm1g	Correlation Coefficient	.901**	1.000
		Sig. (2-tailed)	.000	.
		N	89	174

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t2cd	t2cg
Kendall's tau_b	t2cd	Correlation Coefficient	1.000	.962**
		Sig. (2-tailed)	.	.000
		N	126	88
	t2cg	Correlation Coefficient	.962**	1.000
		Sig. (2-tailed)	.000	.
		N	88	182

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t2i2d	t2i2g
Kendall's tau_b	t2i2d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.000
		N	119	82
	t2i2g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.000	.
		N	82	194

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t2i1d	t2i1g
Kendall's tau_b	t2i1d	Correlation Coefficient	1.000	.811**
		Sig. (2-tailed)	.	.000
		N	113	77
	t2i1g	Correlation Coefficient	.811**	1.000
		Sig. (2-tailed)	.000	.
		N	77	185

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t4pm2d	t4pm2g
Kendall's tau_b	t4pm2d	Correlation Coefficient	1.000	.930**
		Sig. (2-tailed)	.	.000
		N	117	78
	t4pm2g	Correlation Coefficient	.930**	1.000
		Sig. (2-tailed)	.000	.
		N	78	143

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t4pm1d	t4pm1g
Kendall's tau_b	t4pm1d	Correlation Coefficient	1.000	.910**
		Sig. (2-tailed)	.	.000
		N	120	86
	t4pm1g	Correlation Coefficient	.910**	1.000
		Sig. (2-tailed)	.000	.
		N	86	170

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t5m3d	t5m3g
Kendall's tau_b	t5m3d	Correlation Coefficient	1.000	.844**
		Sig. (2-tailed)	.	.000
		N	74	33
	t5m3g	Correlation Coefficient	.844**	1.000
		Sig. (2-tailed)	.000	.
		N	33	110

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t5m2d	t5m2g
Kendall's tau_b	t5m2d	Correlation Coefficient	1.000	.830**
		Sig. (2-tailed)	.	.000
		N	136	85
	t5m2g	Correlation Coefficient	.830**	1.000
		Sig. (2-tailed)	.000	.
		N	85	150

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t5m1d	t5m1g
Kendall's tau_b	t5m1d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	148	96
	t5m1g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	96	174

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t9i1d	t9i1g
Kendall's tau_b	t9i1d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.000
		N	48	40
	t9i1g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.000	.
		N	40	57

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t10i2d	t10i2g
Kendall's tau_b	t10i2d	Correlation Coefficient	1.000	.965**
		Sig. (2-tailed)	.	.000
		N	115	73
	t10i2g	Correlation Coefficient	.965**	1.000
		Sig. (2-tailed)	.000	.
		N	73	196

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t10i1d	t10i1g
Kendall's tau_b	t10i1d	Correlation Coefficient	1.000	.957**
		Sig. (2-tailed)	.	.000
		N	106	65
	t10i1g	Correlation Coefficient	.957**	1.000
		Sig. (2-tailed)	.000	.
		N	65	189

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t11i2d	t11i2g
Kendall's tau_b	t11i2d	Correlation Coefficient	1.000	.454**
		Sig. (2-tailed)	.	.000
		N	114	76
	t11i2g	Correlation Coefficient	.454**	1.000
		Sig. (2-tailed)	.000	.
		N	76	196

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t11i1d	t11i1g
Kendall's tau_b	t11i1d	Correlation Coefficient	1.000	.355**
		Sig. (2-tailed)	.	.005
		N	98	61
	t11i1g	Correlation Coefficient	.355**	1.000
		Sig. (2-tailed)	.005	.
		N	61	181

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t13i2d	t13i2g
Kendall's tau_b	t13i2d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	109	72
	t13i2g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	72	188

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t13i1d	t13i1g
Kendall's tau_b	t13i1d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.000
		N	107	68
	t13i1g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.000	.
		N	68	181

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t14cd	t14cg
Kendall's tau_b	t14cd	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	119	71
	t14cg	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	71	172

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t15cd	t15cg
Kendall's tau_b	t15cd	Correlation Coefficient	1.000	.923**
		Sig. (2-tailed)	.	.000
		N	104	62
	t15cg	Correlation Coefficient	.923**	1.000
		Sig. (2-tailed)	.000	.
		N	62	156

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t15i2d	t15i2g
Kendall's tau_b	t15i2d	Correlation Coefficient	1.000	.974**
		Sig. (2-tailed)	.	.000
		N	105	67
	t15i2g	Correlation Coefficient	.974**	1.000
		Sig. (2-tailed)	.000	.
		N	67	182

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t15i1d	t15i1g
Kendall's tau_b	t15i1d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.000
		N	86	48
	t15i1g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.000	.
		N	48	159

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t16cd	t16cg
Kendall's tau_b	t16cd	Correlation Coefficient	1.000	.921**
		Sig. (2-tailed)	.	.000
		N	113	72
	t16cg	Correlation Coefficient	.921**	1.000
		Sig. (2-tailed)	.000	.
		N	72	175

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t16i2d	t16i2g
Kendall's tau_b	t16i2d	Correlation Coefficient	1.000	.943**
		Sig. (2-tailed)	.	.000
		N	106	68
	t16i2g	Correlation Coefficient	.943**	1.000
		Sig. (2-tailed)	.000	.
		N	68	192

\*\*. Correlation is significant at the 0.01 level (2-tailed).



Correlations

			t16i1d	t16i1g
Kendall's tau_b	t16i1d	Correlation Coefficient	1.000	.972**
		Sig. (2-tailed)	.	.000
		N	94	52
	t16i1g	Correlation Coefficient	.972**	1.000
		Sig. (2-tailed)	.000	.
		N	52	165

\*\* . Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t17pm1d	t17pm1g
Kendall's tau_b	t17pm1d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	93	62
	t17pm1g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	62	137

\*\* . Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t17cd	t17cg
Kendall's tau_b	t17cd	Correlation Coefficient	1.000	.996**
		Sig. (2-tailed)	.	.000
		N	137	86
	t17cg	Correlation Coefficient	.996**	1.000
		Sig. (2-tailed)	.000	.
		N	86	187

\*\* . Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t17i2d	t17i2g
Kendall's tau_b	t17i2d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.000
		N	120	76
	t17i2g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.000	.
		N	76	201

\*\* . Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t18cd	t18cg
Kendall's tau_b	t18cd	Correlation Coefficient	1.000	.469**
		Sig. (2-tailed)	.	.001
		N	88	49
	t18cg	Correlation Coefficient	.469**	1.000
		Sig. (2-tailed)	.001	.
		N	49	126

\*\* . Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t19cd	t19cg
Kendall's tau_b	t19cd	Correlation Coefficient	1.000	.846**
		Sig. (2-tailed)	.	.000
		N	86	46
	t19cg	Correlation Coefficient	.846**	1.000
		Sig. (2-tailed)	.000	.
		N	46	127

\*\* . Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t20pm2d	t20pm2g
Kendall's tau_b	t20pm2d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	87	57
	t20pm2g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	57	114

\*\* . Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t21pm2d	t21pm2g
Kendall's tau_b	t21pm2d	Correlation Coefficient	1.000	.699**
		Sig. (2-tailed)	.	.000
		N	77	47
	t21pm2g	Correlation Coefficient	.699**	1.000
		Sig. (2-tailed)	.000	.
		N	47	103

\*\* . Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t22m3d	t22m3g
Kendall's tau_b	t22m3d	Correlation Coefficient	1.000	.697**
		Sig. (2-tailed)	.	.000
		N	88	37
	t22m3g	Correlation Coefficient	.697**	1.000
		Sig. (2-tailed)	.000	.
		N	37	120

\*\* . Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t22m2d	t22m2g
Kendall's tau_b	t22m2d	Correlation Coefficient	1.000	.849**
		Sig. (2-tailed)	.	.000
		N	140	91
	t22m2g	Correlation Coefficient	.849**	1.000
		Sig. (2-tailed)	.000	.
		N	91	164

\*\* . Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t22m1d	t22m1g
Kendall's tau_b	t22m1d	Correlation Coefficient	1.000	.714**
		Sig. (2-tailed)	.	.000
		N	159	109
	t22m1g	Correlation Coefficient	.714**	1.000
		Sig. (2-tailed)	.000	.
		N	109	189

\*\* . Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t23m1d	t23m1g
Kendall's tau_b	t23m1d	Correlation Coefficient	1.000	.523**
		Sig. (2-tailed)	.	.000
		N	179	119
	t23m1g	Correlation Coefficient	.523**	1.000
		Sig. (2-tailed)	.000	.
		N	119	210

\*\* . Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t24m3d	t24m3g
Kendall's tau_b	t24m3d	Correlation Coefficient	1.000	.828**
		Sig. (2-tailed)	.	.000
		N	92	37
	t24m3g	Correlation Coefficient	.828**	1.000
		Sig. (2-tailed)	.000	.
		N	37	129

\*\* . Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t24m2d	t24m2g
Kendall's tau_b	t24m2d	Correlation Coefficient	1.000	.580**
		Sig. (2-tailed)	.	.000
		N	146	97
	t24m2g	Correlation Coefficient	.580**	1.000
		Sig. (2-tailed)	.000	.
		N	97	170

\*\* . Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t24m1d	t24m1g
Kendall's tau_b	t24m1d	Correlation Coefficient	1.000	.885**
		Sig. (2-tailed)	.	.000
		N	154	105
	t24m1g	Correlation Coefficient	.885**	1.000
		Sig. (2-tailed)	.000	.
		N	105	190

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t25m3d	t25m3g
Kendall's tau_b	t25m3d	Correlation Coefficient	1.000	.843**
		Sig. (2-tailed)	.	.000
		N	101	42
	t25m3g	Correlation Coefficient	.843**	1.000
		Sig. (2-tailed)	.000	.
		N	42	135

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t25m2d	t25m2g
Kendall's tau_b	t25m2d	Correlation Coefficient	1.000	.689**
		Sig. (2-tailed)	.	.000
		N	166	106
	t25m2g	Correlation Coefficient	.689**	1.000
		Sig. (2-tailed)	.000	.
		N	106	184

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t25m1d	t25m1g
Kendall's tau_b	t25m1d	Correlation Coefficient	1.000	.837**
		Sig. (2-tailed)	.	.000
		N	179	122
	t25m1g	Correlation Coefficient	.837**	1.000
		Sig. (2-tailed)	.000	.
		N	122	214

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t26m3d	t26m3g
Kendall's tau_b	t26m3d	Correlation Coefficient	1.000	.719**
		Sig. (2-tailed)	.	.000
		N	98	41
	t26m3g	Correlation Coefficient	.719**	1.000
		Sig. (2-tailed)	.000	.
		N	41	128

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t26m2d	t26m2g
Kendall's tau_b	t26m2d	Correlation Coefficient	1.000	.843**
		Sig. (2-tailed)	.	.000
		N	163	102
	t26m2g	Correlation Coefficient	.843**	1.000
		Sig. (2-tailed)	.000	.
		N	102	181

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t26m1d	t26m1g
Kendall's tau_b	t26m1d	Correlation Coefficient	1.000	.766**
		Sig. (2-tailed)	.	.000
		N	175	118
	t26m1g	Correlation Coefficient	.766**	1.000
		Sig. (2-tailed)	.000	.
		N	118	210

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t27m2d	t27m2g
Kendall's tau_b	t27m2d	Correlation Coefficient	1.000	.812**
		Sig. (2-tailed)	.	.000
		N	130	84
	t27m2g	Correlation Coefficient	.812**	1.000
		Sig. (2-tailed)	.000	.
		N	84	146

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t28m3d	t28m3g
Kendall's tau_b	t28m3d	Correlation Coefficient	1.000	.669**
		Sig. (2-tailed)	.	.000
		N	92	39
	t28m3g	Correlation Coefficient	.669**	1.000
		Sig. (2-tailed)	.000	.
		N	39	122

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t28m2d	t28m2g
Kendall's tau_b	t28m2d	Correlation Coefficient	1.000	.692**
		Sig. (2-tailed)	.	.000
		N	141	89
	t28m2g	Correlation Coefficient	.692**	1.000
		Sig. (2-tailed)	.000	.
		N	89	158

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t28m1d	t28m1g
Kendall's tau_b	t28m1d	Correlation Coefficient	1.000	.831**
		Sig. (2-tailed)	.	.000
		N	141	93
	t28m1g	Correlation Coefficient	.831**	1.000
		Sig. (2-tailed)	.000	.
		N	93	173

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t29m3d	t29m3g
Kendall's tau_b	t29m3d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	83	35
	t29m3g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	35	114

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t29m2d	t29m2g
Kendall's tau_b	t29m2d	Correlation Coefficient	1.000	.569**
		Sig. (2-tailed)	.	.000
		N	113	75
	t29m2g	Correlation Coefficient	.569**	1.000
		Sig. (2-tailed)	.000	.
		N	75	128

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t29m1d	t29m1g
Kendall's tau_b	t29m1d	Correlation Coefficient	1.000	.649**
		Sig. (2-tailed)	.	.000
		N	105	70
	t29m1g	Correlation Coefficient	.649**	1.000
		Sig. (2-tailed)	.000	.
		N	70	131

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t30m2d	t30m2g
Kendall's tau_b	t30m2d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	113	75
	t30m2g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	75	126

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t30m1d	t30m1g
Kendall's tau_b	t30m1d	Correlation Coefficient	1.000	.880**
		Sig. (2-tailed)	.	.000
		N	105	69
	t30m1g	Correlation Coefficient	.880**	1.000
		Sig. (2-tailed)	.000	.
		N	69	129

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t31m2d	t31m2g
Kendall's tau_b	t31m2d	Correlation Coefficient	1.000	.569**
		Sig. (2-tailed)	.	.000
		N	113	75
	t31m2g	Correlation Coefficient	.569**	1.000
		Sig. (2-tailed)	.000	.
		N	75	127

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t31m1d	t31m1g
Kendall's tau_b	t31m1d	Correlation Coefficient	1.000	.707**
		Sig. (2-tailed)	.	.000
		N	104	69
	t31m1g	Correlation Coefficient	.707**	1.000
		Sig. (2-tailed)	.000	.
		N	69	129

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t32m2d	t32m2g
Kendall's tau_b	t32m2d	Correlation Coefficient	1.000	.569**
		Sig. (2-tailed)	.	.000
		N	111	74
	t32m2g	Correlation Coefficient	.569**	1.000
		Sig. (2-tailed)	.000	.
		N	74	126

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t32m1d	t32m1g
Kendall's tau_b	t32m1d	Correlation Coefficient	1.000	-.015
		Sig. (2-tailed)	.	.903
		N	103	69
	t32m1g	Correlation Coefficient	-.015	1.000
		Sig. (2-tailed)	.903	.
		N	69	127

Correlations

			t33m3g	t33m3d
Kendall's tau_b	t33m3g	Correlation Coefficient	1.000	.950**
		Sig. (2-tailed)	.	.000
		N	180	98
	t33m3d	Correlation Coefficient	.950**	1.000
		Sig. (2-tailed)	.000	.
		N	98	139

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t34m3g	t34m3d
Kendall's tau_b	t34m3g	Correlation Coefficient	1.000	.614**
		Sig. (2-tailed)	.	.000
		N	120	53
	t34m3d	Correlation Coefficient	.614**	1.000
		Sig. (2-tailed)	.000	.
		N	53	89

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t34m2g	t34m2d
Kendall's tau_b	t34m2g	Correlation Coefficient	1.000	.926**
		Sig. (2-tailed)	.	.000
		N	198	106
	t34m2d	Correlation Coefficient	.926**	1.000
		Sig. (2-tailed)	.000	.
		N	106	168

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t34m1g	t34m1d
Kendall's tau_b	t34m1g	Correlation Coefficient	1.000	.845**
		Sig. (2-tailed)	.	.000
		N	238	121
	t34m1d	Correlation Coefficient	.845**	1.000
		Sig. (2-tailed)	.000	.
		N	121	187

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t34pm2g	t34pm2d
Kendall's tau_b	t34pm2g	Correlation Coefficient	1.000	.886**
		Sig. (2-tailed)	.	.000
		N	179	96
	t34pm2d	Correlation Coefficient	.886**	1.000
		Sig. (2-tailed)	.000	.
		N	96	151

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t34pm1g	t34pm1d
Kendall's tau_b	t34pm1g	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	220	105
	t34pm1d	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	105	162

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t34cg	t34cd
Kendall's tau_b	t34cg	Correlation Coefficient	1.000	.946**
		Sig. (2-tailed)	.	.000
		N	206	111
	t34cd	Correlation Coefficient	.946**	1.000
		Sig. (2-tailed)	.000	.
		N	111	180

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t34i2g	t34i2d
Kendall's tau_b	t34i2g	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	236	118
	t34i2d	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	118	161

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t34i1g	t34i1d
Kendall's tau_b	t34i1g	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	220	113
	t34i1d	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	113	156

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t35i1g	t35i1d
Kendall's tau_b	t35i1g	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	219	115
	t35i1d	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	115	156

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t36cg	t36cd
Kendall's tau_b	t36cg	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	192	104
	t36cd	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	104	167

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t37pm1g	t37pm1d
Kendall's tau_b	t37pm1g	Correlation Coefficient	1.000	.976**
		Sig. (2-tailed)	.	.000
		N	206	99
	t37pm1d	Correlation Coefficient	.976**	1.000
		Sig. (2-tailed)	.000	.
		N	99	151

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t38m3g	t38m3d
Kendall's tau_b	t38m3g	Correlation Coefficient	1.000	.701**
		Sig. (2-tailed)	.	.000
		N	114	55
	t38m3d	Correlation Coefficient	.701**	1.000
		Sig. (2-tailed)	.000	.
		N	55	95

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t38m2g	t38m2d
Kendall's tau_b	t38m2g	Correlation Coefficient	1.000	.858**
		Sig. (2-tailed)	.	.000
		N	202	113
	t38m2d	Correlation Coefficient	.858**	1.000
		Sig. (2-tailed)	.000	.
		N	113	175

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t38m1g	t38m1d
Kendall's tau_b	t38m1g	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	245	131
	t38m1d	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	131	198

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t43i2g	t43i2d
Kendall's tau_b	t43i2g	Correlation Coefficient	1.000	.982**
		Sig. (2-tailed)	.	.000
		N	239	111
	t43i2d	Correlation Coefficient	.982**	1.000
		Sig. (2-tailed)	.000	.
		N	111	155

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t43i1g	t43i1d
Kendall's tau_b	t43i1g	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.000
		N	220	109
	t43i1d	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.000	.
		N	109	146

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t45cg	t45cd
Kendall's tau_b	t45cg	Correlation Coefficient	1.000	.844**
		Sig. (2-tailed)	.	.000
		N	164	74
	t45cd	Correlation Coefficient	.844**	1.000
		Sig. (2-tailed)	.000	.
		N	74	137

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t47pm2g	t47pm2d
Kendall's tau_b	t47pm2g	Correlation Coefficient	1.000	.890**
		Sig. (2-tailed)	.	.000
		N	165	83
	t47pm2d	Correlation Coefficient	.890**	1.000
		Sig. (2-tailed)	.000	.
		N	83	144

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t47pm1g	t47pm1d
Kendall's tau_b	t47pm1g	Correlation Coefficient	1.000	.923**
		Sig. (2-tailed)	.	.000
		N	213	91
	t47pm1d	Correlation Coefficient	.923**	1.000
		Sig. (2-tailed)	.000	.
		N	91	155

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t48m1g	t48m1d
Kendall's tau_b	t48m1g	Correlation Coefficient	1.000	.353*
		Sig. (2-tailed)	.	.018
		N	114	45
	t48m1d	Correlation Coefficient	.353*	1.000
		Sig. (2-tailed)	.018	.
		N	45	74

\*. Correlation is significant at the 0.05 level (2-tailed).

Correlations

			t49m1g	t49m1d
Kendall's tau_b	t49m1g	Correlation Coefficient	1.000	.990**
		Sig. (2-tailed)	.	.000
		N	125	54
	t49m1d	Correlation Coefficient	.990**	1.000
		Sig. (2-tailed)	.000	.
		N	54	86

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t50m2g	t50m2d
Kendall's tau_b	t50m2g	Correlation Coefficient	1.000	.811**
		Sig. (2-tailed)	.	.000
		N	152	75
	t50m2d	Correlation Coefficient	.811**	1.000
		Sig. (2-tailed)	.000	.
		N	75	120

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t50m1g	t50m1d
Kendall's tau_b	t50m1g	Correlation Coefficient	1.000	.811**
		Sig. (2-tailed)	.	.000
		N	154	75
	t50m1d	Correlation Coefficient	.811**	1.000
		Sig. (2-tailed)	.000	.
		N	75	113

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t51m3g	t51m3d
Kendall's tau_b	t51m3g	Correlation Coefficient	1.000	.699**
		Sig. (2-tailed)	.	.000
		N	108	44
	t51m3d	Correlation Coefficient	.699**	1.000
		Sig. (2-tailed)	.000	.
		N	44	78

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t52m3g	t52m3d
Kendall's tau_b	t52m3g	Correlation Coefficient	1.000	.798**
		Sig. (2-tailed)	.	.000
		N	150	67
	t52m3d	Correlation Coefficient	.798**	1.000
		Sig. (2-tailed)	.000	.
		N	67	107

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t52m2g	t52m2d
Kendall's tau_b	t52m2g	Correlation Coefficient	1.000	.757**
		Sig. (2-tailed)	.	.000
		N	223	117
	t52m2d	Correlation Coefficient	.757**	1.000
		Sig. (2-tailed)	.000	.
		N	117	191

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t52m1g	t52m1d
Kendall's tau_b	t52m1g	Correlation Coefficient	1.000	.867**
		Sig. (2-tailed)	.	.000
		N	260	128
	t52m1d	Correlation Coefficient	.867**	1.000
		Sig. (2-tailed)	.000	.
		N	128	199

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t53m3g	t53m3d
Kendall's tau_b	t53m3g	Correlation Coefficient	1.000	.528**
		Sig. (2-tailed)	.	.000
		N	115	50
	t53m3d	Correlation Coefficient	.528**	1.000
		Sig. (2-tailed)	.000	.
		N	50	83

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t53m2g	t53m2d
Kendall's tau_b	t53m2g	Correlation Coefficient	1.000	.704**
		Sig. (2-tailed)	.	.000
		N	170	87
	t53m2d	Correlation Coefficient	.704**	1.000
		Sig. (2-tailed)	.000	.
		N	87	138

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t53m1g	t53m1d
Kendall's tau_b	t53m1g	Correlation Coefficient	1.000	.768**
		Sig. (2-tailed)	.	.000
		N	160	70
	t53m1d	Correlation Coefficient	.768**	1.000
		Sig. (2-tailed)	.000	.
		N	70	112

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t54m3g	t54m3d
Kendall's tau_b	t54m3g	Correlation Coefficient	1.000	.624**
		Sig. (2-tailed)	.	.000
		N	148	65
	t54m3d	Correlation Coefficient	.624**	1.000
		Sig. (2-tailed)	.000	.
		N	65	102

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t54m2g	t54m2d
Kendall's tau_b	t54m2g	Correlation Coefficient	1.000	.839**
		Sig. (2-tailed)	.	.000
		N	211	114
	t54m2d	Correlation Coefficient	.839**	1.000
		Sig. (2-tailed)	.000	.
		N	114	177

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t54m1g	t54m1d
Kendall's tau_b	t54m1g	Correlation Coefficient	1.000	.777**
		Sig. (2-tailed)	.	.000
		N	255	133
	t54m1d	Correlation Coefficient	.777**	1.000
		Sig. (2-tailed)	.000	.
		N	133	202

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t55m3g	t55m3d
Kendall's tau_b	t55m3g	Correlation Coefficient	1.000	.747**
		Sig. (2-tailed)	.	.000
		N	139	61
	t55m3d	Correlation Coefficient	.747**	1.000
		Sig. (2-tailed)	.000	.
		N	61	102

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t55m2g	t55m2d
Kendall's tau_b	t55m2g	Correlation Coefficient	1.000	.794**
		Sig. (2-tailed)	.	.000
		N	216	112
	t55m2d	Correlation Coefficient	.794**	1.000
		Sig. (2-tailed)	.000	.
		N	112	176

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t55m1g	t55m1d
Kendall's tau_b	t55m1g	Correlation Coefficient	1.000	.932**
		Sig. (2-tailed)	.	.000
		N	246	123
	t55m1d	Correlation Coefficient	.932**	1.000
		Sig. (2-tailed)	.000	.
		N	123	187

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t56m3g	t56m3d
Kendall's tau_b	t56m3g	Correlation Coefficient	1.000	1.000
		Sig. (2-tailed)	.	.
		N	9	2
	t56m3d	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	2	4

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t57m3g	t57m3d
Kendall's tau_b	t57m3g	Correlation Coefficient	1.000	.567**
		Sig. (2-tailed)	.	.000
		N	147	68
	t57m3d	Correlation Coefficient	.567**	1.000
		Sig. (2-tailed)	.000	.
		N	68	106

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t57m1g	t57m1d
Kendall's tau_b	t57m1g	Correlation Coefficient	1.000	-.015
		Sig. (2-tailed)	.	.861
		N	261	134
	t57m1d	Correlation Coefficient	-.015	1.000
		Sig. (2-tailed)	.861	.
		N	134	209

Correlations

			t58m2g	t58m2d
Kendall's tau_b	t58m2g	Correlation Coefficient	1.000	-.012
		Sig. (2-tailed)	.	.912
		N	147	82
	t58m2d	Correlation Coefficient	-.012	1.000
		Sig. (2-tailed)	.912	.
		N	82	126

Correlations

			t58m1g	t58m1d
Kendall's tau_b	t58m1g	Correlation Coefficient	1.000	.389**
		Sig. (2-tailed)	.	.001
		N	155	75
	t58m1d	Correlation Coefficient	.389**	1.000
		Sig. (2-tailed)	.001	.
		N	75	116

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t59m2g	t59m2d
Kendall's tau_b	t59m2g	Correlation Coefficient	1.000	.704**
		Sig. (2-tailed)	.	.000
		N	225	117
	t59m2d	Correlation Coefficient	.704**	1.000
		Sig. (2-tailed)	.000	.
		N	117	191

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t1dm2d	t1dm2g
Kendall's tau_b	t1dm2d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.000
		N	41	24
	t1dm2g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.000	.
		N	24	50

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t1dm1d	t1dm1g
Kendall's tau_b	t1dm1d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.000
		N	39	21
	t1dm1g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.000	.
		N	21	54

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t3di2d	t3di2g
Kendall's tau_b	t3di2d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.001
		N	14	10
	t3di2g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.001	.
		N	10	43

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t3di1d	t3di1g
Kendall's tau_b	t3di1d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	17	8
	t3di1g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	8	33

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t6dcd	t6dcg
Kendall's tau_b	t6dcd	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.000
		N	39	22
	t6dcg	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.000	.
		N	22	58

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t7dm2d	t7dm2g
Kendall's tau_b	t7dm2d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	40	24
	t7dm2g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	24	50

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t7dm1d	t7dm1g
Kendall's tau_b	t7dm1d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	38	20
	t7dm1g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	20	55

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t11di2d	t11di2g
Kendall's tau_b	t11di2d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	20	13
	t11di2g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	13	53

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t13dcd	t13dcg
Kendall's tau_b	t13dcd	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.000
		N	37	21
	t13dcg	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.000	.
		N	21	62

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t13di2d	t13di2g
Kendall's tau_b	t13di2d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	21	14
	t13di2g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	14	55

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t13di1d	t13di1g
Kendall's tau_b	t13di1d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.000
		N	21	12
	t13di1g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.000	.
		N	12	43

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t14dcd	t14dcg
Kendall's tau_b	t14dcd	Correlation Coefficient	1.000	.897**
		Sig. (2-tailed)	.	.000
		N	40	22
	t14dcg	Correlation Coefficient	.897**	1.000
		Sig. (2-tailed)	.000	.
		N	22	62

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t14di2d	t14di2g
Kendall's tau_b	t14di2d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	22	14
	t14di2g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	14	55

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t15dm1d	t15dm1g
Kendall's tau_b	t15dm1d	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.000
		N	42	25
	t15dm1g	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.000	.
		N	25	66

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t17dm2d	t17dm2g
Kendall's tau_b	t17dm2d	Correlation Coefficient	1.000	.369*
		Sig. (2-tailed)	.	.023
		N	56	39
	t17dm2g	Correlation Coefficient	.369*	1.000
		Sig. (2-tailed)	.023	.
		N	39	68

\*. Correlation is significant at the 0.05 level (2-tailed).

Correlations

			t17dm1d	t17dm1g
Kendall's tau_b	t17dm1d	Correlation Coefficient	1.000	.436*
		Sig. (2-tailed)	.	.025
		N	45	27
	t17dm1g	Correlation Coefficient	.436*	1.000
		Sig. (2-tailed)	.025	.
		N	27	66

\*. Correlation is significant at the 0.05 level (2-tailed).

Correlations

			t18dm2d	t18dm2g
Kendall's tau_b	t18dm2d	Correlation Coefficient	1.000	.932**
		Sig. (2-tailed)	.	.000
		N	58	40
	t18dm2g	Correlation Coefficient	.932**	1.000
		Sig. (2-tailed)	.000	.
		N	40	66

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t19dm2d	t19dm2g
Kendall's tau_b	t19dm2d	Correlation Coefficient	1.000	.834**
		Sig. (2-tailed)	.	.000
		N	60	40
	t19dm2g	Correlation Coefficient	.834**	1.000
		Sig. (2-tailed)	.000	.
		N	40	67

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t20dm2d	t20dm2g
Kendall's tau_b	t20dm2d	Correlation Coefficient	1.000	.985**
		Sig. (2-tailed)	.	.000
		N	59	39
	t20dm2g	Correlation Coefficient	.985**	1.000
		Sig. (2-tailed)	.000	.
		N	39	67

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t21dm2d	t21dm2g
Kendall's tau_b	t21dm2d	Correlation Coefficient	1.000	.802**
		Sig. (2-tailed)	.	.000
		N	51	31
	t21dm2g	Correlation Coefficient	.802**	1.000
		Sig. (2-tailed)	.000	.
		N	31	57

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t22dm2d	t22dm2g
Kendall's tau_b	t22dm2d	Correlation Coefficient	1.000	.646**
		Sig. (2-tailed)	.	.000
		N	52	32
	t22dm2g	Correlation Coefficient	.646**	1.000
		Sig. (2-tailed)	.000	.
		N	32	60

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t23dm2d	t23dm2g
Kendall's tau_b	t23dm2d	Correlation Coefficient	1.000	.725**
		Sig. (2-tailed)	.	.001
		N	39	24
	t23dm2g	Correlation Coefficient	.725**	1.000
		Sig. (2-tailed)	.001	.
		N	24	41

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t24dm2d	t24dm2g
Kendall's tau_b	t24dm2d	Correlation Coefficient	1.000	.713**
		Sig. (2-tailed)	.	.001
		N	39	24
	t24dm2g	Correlation Coefficient	.713**	1.000
		Sig. (2-tailed)	.001	.
		N	24	40

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t25dm2d	t25dm2g
Kendall's tau_b	t25dm2d	Correlation Coefficient	1.000	.797**
		Sig. (2-tailed)	.	.000
		N	38	23
	t25dm2g	Correlation Coefficient	.797**	1.000
		Sig. (2-tailed)	.000	.
		N	23	39

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t26dm2d	t26dm2g
Kendall's tau_b	t26dm2d	Correlation Coefficient	1.000	.452*
		Sig. (2-tailed)	.	.034
		N	39	23
	t26dm2g	Correlation Coefficient	.452*	1.000
		Sig. (2-tailed)	.034	.
		N	23	41

\*. Correlation is significant at the 0.05 level (2-tailed).

Correlations

			t27dm2g	t27dm2d
Kendall's tau_b	t27dm2g	Correlation Coefficient	1.000	.713**
		Sig. (2-tailed)	.	.000
		N	76	31
	t27dm2d	Correlation Coefficient	.713**	1.000
		Sig. (2-tailed)	.000	.
		N	31	51

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t27dm1g	t27dm1d
Kendall's tau_b	t27dm1g	Correlation Coefficient	1.000	.713**
		Sig. (2-tailed)	.	.000
		N	76	31
	t27dm1d	Correlation Coefficient	.713**	1.000
		Sig. (2-tailed)	.000	.
		N	31	48

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t28dm2g	t28dm2d
Kendall's tau_b	t28dm2g	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.000
		N	77	32
	t28dm2d	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.000	.
		N	32	54

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t28dm1g	t28dm1d
Kendall's tau_b	t28dm1g	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	77	31
	t28dm1d	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	31	49

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t30di2g	t30di2d
Kendall's tau_b	t30di2g	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	32	15
	t30di2d	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	15	22

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t31dm2g	t31dm2d
Kendall's tau_b	t31dm2g	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	79	35
	t31dm2d	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	35	55

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t36di2g	t36di2d
Kendall's tau_b	t36di2g	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	31	12
	t36di2d	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	12	20

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t36di1g	t36di1d
Kendall's tau_b	t36di1g	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.001
		N	20	10
	t36di1d	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.001	.
		N	10	13

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t37dcd	t37dcd
Kendall's tau_b	t37dcd	Correlation Coefficient	1.000	.693**
		Sig. (2-tailed)	.	.000
		N	60	27
	t37dcd	Correlation Coefficient	.693**	1.000
		Sig. (2-tailed)	.000	.
		N	27	35

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t38dm2g	t38dm2d
Kendall's tau_b	t38dm2g	Correlation Coefficient	1.000	.806**
		Sig. (2-tailed)	.	.000
		N	85	40
	t38dm2d	Correlation Coefficient	.806**	1.000
		Sig. (2-tailed)	.000	.
		N	40	65

\*\*. Correlation is significant at the 0.01 level (2-tailed).



Correlations

			t38dm1g	t38dm1d
Kendall's tau_b	t38dm1g	Correlation Coefficient	1.000	.895**
		Sig. (2-tailed)	.	.000
		N	83	38
	t38dm1d	Correlation Coefficient	.895**	1.000
		Sig. (2-tailed)	.000	.
		N	38	57

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t39dm2g	t39dm2d
Kendall's tau_b	t39dm2g	Correlation Coefficient	1.000	.658**
		Sig. (2-tailed)	.	.000
		N	87	43
	t39dm2d	Correlation Coefficient	.658**	1.000
		Sig. (2-tailed)	.000	.
		N	43	67

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t39dm1g	t39dm1d
Kendall's tau_b	t39dm1g	Correlation Coefficient	1.000	.711**
		Sig. (2-tailed)	.	.000
		N	84	42
	t39dm1d	Correlation Coefficient	.711**	1.000
		Sig. (2-tailed)	.000	.
		N	42	62

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t40dm2g	t40dm2d
Kendall's tau_b	t40dm2g	Correlation Coefficient	1.000	.954**
		Sig. (2-tailed)	.	.000
		N	67	33
	t40dm2d	Correlation Coefficient	.954**	1.000
		Sig. (2-tailed)	.000	.
		N	33	55

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t40dm1g	t40dm1d
Kendall's tau_b	t40dm1g	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.000
		N	64	29
	t40dm1d	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.000	.
		N	29	45

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t41dm1g	t41dm1d
Kendall's tau_b	t41dm1g	Correlation Coefficient	1.000	.802**
		Sig. (2-tailed)	.	.000
		N	48	30
	t41dm1d	Correlation Coefficient	.802**	1.000
		Sig. (2-tailed)	.000	.
		N	30	38

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t42dm2g	t42dm2d
Kendall's tau_b	t42dm2g	Correlation Coefficient	1.000	.744**
		Sig. (2-tailed)	.	.000
		N	65	33
	t42dm2d	Correlation Coefficient	.744**	1.000
		Sig. (2-tailed)	.000	.
		N	33	52

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t45dm2g	t45dm2d
Kendall's tau_b	t45dm2g	Correlation Coefficient	1.000	.873**
		Sig. (2-tailed)	.	.000
		N	80	40
	t45dm2d	Correlation Coefficient	.873**	1.000
		Sig. (2-tailed)	.000	.
		N	40	66

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t47dm2g	t47dm2d
Kendall's tau_b	t47dm2g	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	84	42
	t47dm2d	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	42	64

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t50dm2g	t50dm2d
Kendall's tau_b	t50dm2g	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.
		N	39	23
	t50dm2d	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.	.
		N	23	35

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t51dm2g	t51dm2d
Kendall's tau_b	t51dm2g	Correlation Coefficient	1.000	.692**
		Sig. (2-tailed)	.	.001
		N	43	25
	t51dm2d	Correlation Coefficient	.692**	1.000
		Sig. (2-tailed)	.001	.
		N	25	35

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Correlations

			t52dm2g	t52dm2d
Kendall's tau_b	t52dm2g	Correlation Coefficient	1.000	1.000**
		Sig. (2-tailed)	.	.000
		N	80	38
	t52dm2d	Correlation Coefficient	1.000**	1.000
		Sig. (2-tailed)	.000	.
		N	38	60

\*\*. Correlation is significant at the 0.01 level (2-tailed).